

# OHIC Aligned Measure Sets Updated September 28, 2022

Effective for insurer-provider contractual performance periods starting on or after January 1, 2023, for contracts subject to amendment or renewal on or after that date.

### Table of Contents

Primary Care Measure Set (21 Measures)	2
Maternity Care Measure Set (8 Measures)	
Outpatient Behavioral Health - Mental Health Measure Set (9 Measures)	5
Acute Care Hospital Measure Set (19 Measures)	6
Behavioral Health Hospital Measure Set (8 Measures)	8
ACO Measure Set (28 Measures)	9
Acronyms	11



## Primary Care Measure Set (21 Measures)

#	Measure Name	NQF	Steward	Source			
	Core Measure Set (9)						
Cl	Chronic Illness (3)						
1	Controlling High Blood Pressure	0018	NCQA	Claims/Clinical			
2	Eye Exam for Patients with Diabetes	0055	NCQA	Claims/Clinical			
3	Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (< 8.0%)	0575	NCQA	Claims/Clinical			
Pr	evention (5)			-			
4	Breast Cancer Screening	2372	NCQA	Claims			
5	Child and Adolescent Well-Care Visits (Total)	NA	NCQA	Claims			
6	Chlamydia Screening	0033	NCQA	Claims			
7	Colorectal Cancer Screening	0034	NCQA	Claims/Clinical			
8	Developmental Screening in the First Three Years of Life	1448	OHSU	Claims/Clinical			
9	Lead Screening in Children	NA	NCQA	Claims			
	Menu Measure Set (4)						
Cl	hronic Illness (1)						
1	Kidney Health Evaluation for Patients with Diabetes	NA	NCQA	Clinical			
Pr	eventive Care (2)						
2	Cervical Cancer Screening	0032	NCQA	Claims			
3	Immunizations for Adolescents (Combo 2)	1407	NCQA	Clinical			
He	ealth Equity (1)		1				
4	The following measures, stratified by race, ethnicity, and language (REL):  Controlling High Blood Pressure Developmental Screening in the First Three Years of Life Eye Exams for Patients with Diabetes Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (< 8.0%)	NA	NCQA/ OHIC	Clinical			
	Developmental Measure Set (8)						
	ehavioral Health (2)		T				
1	Depression Remission or Response for Adolescents and Adults	NA	NCQA	ECDS			
2	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	NCQA	ECDS			
Cl	hronic Illness (1)						
3	Statin Therapy for Patients with Cardiovascular Disease	NA	NCQA	Claims			
Co	Consumer Experience (1)						



#	Measure Name	NQF	Steward	Source	
4	CAHPS Surveys, specifically CG CAHPS and/or PCMH CAHPS	NA	AHRQ/	Survey	
Pr	Preventive Care (3)				
5	Depression Screening and Follow-Up for Adolescents and Adults	NA	NCQA	ECDS	
6	Fluoride Varnish (Move to Core for MY 2024)	NA	RIDOH	Clinical	
7	Unhealthy Alcohol Use Screening and Follow-Up	NA	NCQA	ECDS	
So	Social Determinants of Health (1)				
8	Social Determinants of Health Screening	NA	RI EOHHS	Survey	



## Maternity Care Measure Set (8 Measures)

#	Measure Name	NQF	Steward	Source			
	Core Measure Set (3)						
Pr	Prenatal Care (2)						
1	Behavioral Health Risk Assessment Screenings	NA	AMA- PCPI	Clinical			
2	Prenatal and Postpartum Care: Timeliness of Prenatal Care	1517	NCQA	Claims/Clinical			
Po	ostpartum Care (1)						
3	Prenatal and Postpartum Care: Postpartum Care	1517	NCQA	Claims/Clinical			
	Menu Measure Set (4)						
La	bor and Delivery (1)						
1	Cesarean Rate for Nulliparous Singleton Vertex (PC-02)	0471	TJC	Claims/Clinical			
No	eonatal Care – Term Infants (1)						
2	Exclusive Breast Milk Feeding (PC-05)	0480	TJC	Claims/Clinical			
Po	ostpartum Care (1)						
3	Maternity Care: Post-Partum Follow-Up and Care Coordination	NA	AMA- PCPI	Claims/Clinical			
He	ealth Equity (1)						
4	The following measures, stratified by race, ethnicity, and language (REL):  • Behavioral Health Risk Assessment Screenings • Prenatal and Postpartum Care: Postpartum Care • Prenatal and Postpartum Care: Timeliness of Prenatal Care	NA	NCQA/ OHIC	Clinical			
	Monitoring Set (1)						
La	Labor and Delivery (1)						
1	Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)	0469	TJC	Claims/Clinical			



## Outpatient Behavioral Health - Mental Health Measure Set (9 Measures)

#	Measure Name	NQF	Steward	Source			
	Menu Measure Set (3)						
He	ospital (1)						
1	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims			
Pr	evention (3)						
2	Adult Major Depressive Disorder (MDD): Suicide Risk Assessment	0104	AMA- PCPI	Clinical			
3	Child and Adolescent Major Depressive Disorder: Suicide Risk Assessment	1365	AMA- PCPI	Clinical			
	On Deck Measure Set (1)						
M	edication Management (1)						
1	Antidepressant Medication Management	0105	NCQA	Claims			
	Developmental Measure Set (5)						
A	cute Care (2)						
1	Depression Remission or Response for Adolescents and Adults	NA	NCQA	ECDS			
2	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	NCQA	ECDS			
Pr	Preventive Care (2)						
3	Depression Screening and Follow-up for Adolescents and Adults	NA	NCQA	ECDS			
4	Unhealthy Alcohol Use Screening and Follow-Up	NA	NCQA	ECDS			
So	ocial Determinants of Health (1)						
5	Social Determinants of Health Screening	NA	RI	Survey			



#### **Acute Care Hospital Measure Set (19 Measures)**

Insurer contracts with hospitals participating in CMS' IPFQR program, including general acute care facilities, are subject to the Behavioral Health Hospital Measure Set. Insurer contracts with general acute care facilities participating in CMS' IPFQR program that are newly subject to the Behavioral Health Hospital Measure Set are also subject to the Acute Care Hospital Measure Set. When a measure appears in both the Behavioral Health Hospital and Acute Care Hospital Measure Sets, insurers are only required to use the measure once in their contracts with hospitals participating in CMS' IPFQR program.

#	Measure Name	NQF	Steward	Source		
	Core Measure Set (7)					
H	Hospital (6)					
1	CAHPS Survey, specifically HCAHPS	0166	AHRQ	Survey		
2	Catheter-Associated Urinary Tract Infection (HAI-2)	0138	CDC	Clinical		
3	Central Line-Associated Blood Stream Infection (HAI-1)	0139	CDC	Clinical		
4	Clostridium Difficile (C.diff.) Infections (HAI-6)	1717	CDC	Clinical		
5	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims		
6	Hospital-wide Readmit (READM-30-HOSP-WIDE)	1789	CMS	Claims		
7	Severe Sepsis and Septic Shock: Management Bundle (SEP-1)	0500	HFH	Clinical		
	Menu Measure Set (7)					
He	ospital (8)					
1	Cesarean Rate for Nulliparous Singleton Vertex (PC-02)*	0471	TJC	Claims		
2	Follow-Up After Emergency Department Visit for Mental Illness (7-Day)	3489	NCQA	Claims		
3	Follow-Up After Emergency Department Visit for Substance Use (7-Day)	3488	NCQA	Claims		
4	Harmonized Procedure Specific Surgical Site Infection (SSI) Outcome Measure - HAI-3: SSI: Colon - Surgical Site Infection for Colon Surgery and HAI-4: SSI: Hysterectomy - Surgical Site Infection for Abdominal Hysterectomy	0753	ACS- CDC	Clinical		
5	Methicillin-resistant Staphylococcus Aureus Blood Infections (HAI-5)	1716	CDC	Clinical		
6	Patient Safety for Selected Indicators (PSI-90)	0531	AHRQ	Claims		
7	Severe Obstetric Complications (PC-07)	NA	TJC/ CMS	ECDS		
	On Deck Measure Set (1)					
H	Health Equity (1)					

<sup>\*</sup> Insurers may also use CMS' Cesarean Birth eCQM.

6



#	Measure Name	NQF	Steward	Source	
1	The following measure, stratified by race, ethnicity, and language (REL):  • Hospital-wide Readmit (Move to Menu Set when CMS publishes stratified data)	NA	NCQA/ OHIC	Clinical	
	Developmental Measure Set (3)				
H	ealth Equity (1)				
1	Hospital Commitment to Health Equity	NA	CMS	Attestation	
So	ocial Determinants of Health (2)				
2	Screening for Social Drivers of Health	NA	CMS	Survey	
3	Screen Positive Rate for Social Drivers of Health	NA	CMS	Survey	
	Monitoring Set (1)				
H	Hospital (1)				
1	Elective Delivery Prior to 39 Completed Weeks Gestation (PC-01)	0469	TJC	Claims/Clinical	



#### **Behavioral Health Hospital Measure Set (8 Measures)**

Insurer contracts with hospitals participating in CMS' IPFQR program, including general acute care facilities, are subject to the Behavioral Health Hospital Measure Set. Insurer contracts with general acute care facilities participating in CMS' IPFQR program that are newly subject to the Behavioral Health Hospital Measure Set are also subject to the Acute Care Hospital Measure Set. When a measure appears in both the Behavioral Health Hospital and Acute Care Hospital Measure Sets, insurers are only required to use the measure once in their contracts with hospitals participating in CMS' IPFQR program.

#	Measure Name	NQF	Steward	Source		
	Core Measure Set (2)					
H	ospital (1)					
1	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims		
Po	pulation Health (1)					
2	30-Day All-Cause Unplanned Readmission Following Psychiatric Hospitalization (one year allowance for de minimis weighting for MY 2023)	2860	CMS	Claims		
	Menu Measure Set (5)					
H	ospital (6)					
1	Alcohol & Other Drug Use Disorder Treatment at Discharge (SUB-3a)	1664	TJC	Clinical		
2	Hours of Physical Restraint Use (HBIPS-2)	0640	TJC	Clinical		
3	Hours of Seclusion Use (HBIPS-3)	0641	TJC	Clinical		
4	Patients Discharged on Multiple Antipsychotic Medications with Appropriate Justification (HBIPS-5)	3205	CMS	Claims		
M	edication Management (1)					
5	Medication Continuation Following Inpatient Psychiatric Discharge	3205	CMS	Claims		
	Monitoring Measure Set (1)					
H	ospital (1)					
1	Transition Record with Specified Elements Received by Discharged Patients	0649	AMA- PCPI	Clinical		



## ACO Measure Set (28 Measures)

#	Measure Name	NQF	Steward	Source		
	Core Measure Set (9)					
Cl	Chronic Illness (3)					
1	Controlling High Blood Pressure	0018	NCQA	Clinical		
2	Eye Exam for Patients with Diabetes	0055	NCQA	Clinical		
3	Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (< 8.0%)	0575	NCQA	Claims/Clinical		
H	ospital (3)					
4	Follow-Up After Hospitalization for Mental Illness (7-Day)	0576	NCQA	Claims		
Pr	evention (5)					
5	Breast Cancer Screening	2372	NCQA	Claims		
6	Child and Adolescent Well-Care Visits (Total)	NA	NCQA	Claims		
7	Chlamydia Screening	0033	NCQA	Claims		
8	Colorectal Cancer Screening	0034	NCQA	Clinical		
9	Developmental Screening in the First Three Years of Life	1448	OHSU	Clinical		
	Menu Measure Set (11)					
Cl	nronic Illness (2)					
1	Initiation and Engagement of Substance Use Treatment	0004	NCQA	Claims		
2	Kidney Health Evaluation for Patients with Diabetes	NA	NCQA	Claims/Clinical		
H	ospital (4)					
3	Follow-Up After Emergency Department Visit for Mental Illness (7-Day)	3489	NCQA	Claims		
4	Follow-Up After Emergency Department Visit for Substance (7-Day)	3488	NCQA	Claims		
5	Hospital-wide Readmit	1789	CMS	Claims		
6	Plan (ACO) All-Cause Readmission	1768	NCQA	Claims		
Preventive Care (3)						
7	Cervical Cancer Screening	0032	NCQA	Claims		
8	Immunizations for Adolescents (Combo 2)	1407	NCQA	Clinical		
9	Lead Screening in Children	NA	NCQA	Claims		
	ocial Determinants of Health (1)					
10	Social Determinants of Health Screening	NA	RI	Survey		



#	Measure Name	NQF	Steward	Source				
	Menu Measure Set (10) Continued							
Н	Health Equity (1)							
11	<ul> <li>The following measures, stratified by race, ethnicity, and language (REL):</li> <li>Controlling High Blood Pressure</li> <li>Developmental Screening in the First Three Years of Life</li> <li>Eye Exams for Patients with Diabetes</li> <li>Hemoglobin A1c Control for Patients with Diabetes: HbA1c Control (&lt; 8.0%)</li> </ul>	NA	N	Clinical				
	Developmental Measure Set (8)							
Ве	ehavioral Health (2)							
1	Depression Remission or Response for Adolescents and Adults	NA	NCQA	ECDS				
2	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	NCQA	ECDS				
Cł	nronic Illness (1)							
3	Statin Therapy for Patients with Cardiovascular Disease	NA	NCQA	Claims				
Co	onsumer Experience (1)							
4	CAHPS, specifically ACO CAHPS, CG CAHPS, HCAHPS, MIPS CAHPS, and/or PCMH CAHPS	NA	AHRQ/ CMS/ NCQA	Survey				
Pr	enatal Care (1)							
5	Prenatal & Postpartum Care - Timeliness of Prenatal Care	1517	NCQA	Claims/Clinical				
Po	ostpartum Care (1)							
6	Prenatal & Postpartum Care - Postpartum Care Rate	1517	NCQA	Claims/Clinical				
Pr	eventive Care (3)							
7	Depression Screening and Follow-Up for Adolescents and Adults	NA	NCQA	ECDS				
8	Unhealthy Alcohol Use Screening and Follow-Up	NA	NCQA	ECDS				



#### **Acronyms**

ACS-CDC American College of Surgeons - Centers for Disease Control and Prevention

AHRQ Agency for Healthcare Research and Quality

AMA-PCPI American Medical Association - Physician Consortium for Performance Improvement

CMS Centers for Medicare & Medicaid Services

ECDS Electronic Clinical Data Systems

HFH Henry Ford Hospital

IEHP Inland Empire Health Plan

MNCM Minnesota Community Management

NCQA National Committee for Quality Assurance

OHSU Oregon Health & Science University

PQA Pharmacy Quality Alliance

RI EOHHS RI Executive Office of Health and Human Services

RIDOH RI Department of Health TJC The Joint Commission